


HNR HALF HEXAGON



HNR-FICHE

For installation information please refer to the tooling overview and manuals on our website www.scell-it.com
 Pour les conditions de pose, merci de vous référer à la description de l'outil et aux manuels disponibles sur notre site web.
 Angaben zur Verarbeitung entnehmen Sie bitte der Geräteübersicht und den Betriebsanleitungen auf unserer Website.
 Pro informace ohledně montáže navštivte naše webové stránky nebo nahlédněte do manuálu k nářadí.

ENGLISH	FRANÇAIS	DEUTSCH	CZECH
Insert / half hexagon	écrou / semi-hexagonal	Einnietmutter / Sechskant	nýtovací matice / polo-šestihran
Reduced countersunk head	Tête réduite à 90°	Kleiner senkkopf	redukovaná hlava
Stainless steel A2	Inox A2	Edelstahl A2	nerez A2



PART NO/REF	M	SW	SW ₁	SE	D	K	L	G
	Ø (mm)	Ø (mm)	(mm)	(mm)	(mm)	(mm)	(mm)	min-max (mm)
HNR0425	M4	6.0	6.1	6.8	6.5	0.6	12.0	0.5-2.5
HNR0530	M5	7.0	7.1	7.9	7.5	0.6	14.0	0.5-3.0
HNR0630	M6	9.0	9.1	10.2	9.5	0.6	16.0	0.5-3.0
HNR0830	M8	11.0	11.1	12.4	11.5	0.6	17.0	0.5-3.0
HNR1040	M10	13.0	13.1	14.7	13.5	0.6	20.5	1.0-4.0

	RECOMMENDED MAX TORQUE	PULL-OUT	SHEAR
M (mm)	(Nm)	(N)	(N)
M4	12.0	8 200	2 900
M5	14.0	11 700	3 100
M6	21.0	21 500	3 800
M8	30.0	24 000	3 900
M10	40.0	47 000	5 000

UNIT PLANT CERTIFICATES

ISO 9001:2000
 ISO 14001
 TS 16949

Scell-it®
 Engineering & Development

© 2009 Blue future Intellectual Properties

Data shown are subject to change without prior notice as a result of continuous product development and improvement policy.
 Your local Scell-it representative is at your disposal should you need to confirm latest information.